


Kanlux

A man wearing a beanie and overalls is working in a workshop. He is using a power tool, possibly a sander or a drill, on a piece of wood. A bright, long, cylindrical light fixture is positioned above him, casting a strong light. The background shows wooden structures and a dark wall. The overall tone is industrial and focused.


Kanlux
NOBEN CCT
lámpatestek

Kanlux


Kanlux **NOBEN CCT**




VÉDETTSÉG A NEDVESSÉG ÉS A
SZILÁRD TÁRGYAK
BEHATOLÁSA ELLEN: IP54



RÖGZÍTŐ
TARTOZÉKOK



BÚRA ÉS
LÁMPAHÁZ
ANYAGA: PC



A TELEPÍTÉST
MEGGYORSÍTÓ ÉS
MEGKÖNNYÍTŐ
GYORSCSATLAKOZÓ



KÉT VÁLASZTHATÓ
HOSSZÚSÁG:
1200mm és 1500mm

3 ÉV GARANCIA A WEBOLDALON TALÁLHATÓ JÓTÁLLÁSI NYILATKOZAT FELTÉTELEI SZERINT

Kanlux

Kanlux NOBEN CCT

CCT



3000K
4000K
6500K

állítható
színhőmérséklet

3000K

4000K

6500K



állítható teljesítmény
(Power Switch):

24W / 30W / 36W

a 120 cm-s változatnál

26W / 34W / 42W

a 150 cm-s változatnál



Kanlux



Alkalmazás:

műhelyek, szervizek, mosókonyhák, folyosók,
raktárak, üzlethelyiségek, szalonok.

Kanlux NOBEN CCT



Névleges feszültség [V]: 220-240 AC

Névleges frekvencia [Hz]: 50

Érintésvédelmi osztály: II

Anyag: PC

Védettségi fok: IP 54

Élettartam [h]: 30000


Be/kikapcs. ciklusok száma: ≥30000

		TELJESÍTMÉNY	FÉNYÁRAM	SZÍN- HŐMÉRSÉKLET
39500	NOBEN M36W-120-CCT	24-30-36W	max 3620/4030/3700lm	3000/ 4000/ 6500K
39501	NOBEN M42W-150-CCT	26-34-42W	max 4140/4670/4260lm	

NOBEN M36W-120-CCT	24W	30W	36W
WW	2740lm	3100lm	3620lm
NW	2970lm	3400lm	4030lm
CW	2800lm	3120lm	3700lm

NOBEN M42W-150-CCT	26W	34W	42W
WW	2940lm	3660lm	4140lm
NW	3200lm	4060lm	4670lm
CW	3000lm	3730lm	4260lm

NOBEN M36W-120-CCT



NOBEN M42W-150-CCT

